

Ulkomaisten tutkimusten kartoitus (vuonna 2015 julkaistuja artikkeleita)

Lääketieteelliset tutkimukset

Koonnut Topi Jutila

[J Int Adv Otol.](#) 2015 Dec;11(3):218-21. doi: 10.5152/iao.2015.730.

Quality of Life in Pediatric Cochlear Implantations.

[Yorgun M¹](#), [Sürmeliöğlu Ö](#), [Tuncer Ü](#), [Tarkan Ö](#), [Özdemir S](#), [Çekiç E](#), [Çetik F](#), [Kiroğlu M](#).

[J Int Adv Otol.](#) 2015 Dec;11(3):229-35. doi: 10.5152/iao.2015.1695.

Satisfaction of Children with Auditory Neuropathy and Cochlear Implant.

[de Carvalho GM¹](#), [Zago TM](#), [Ramos PZ](#), [Castilho AM](#), [Guimarães AC](#), [Sartorato EL](#).

[Perspect Hear Hear Disord Child.](#) 2015 Sep;25(2):48-59.

Phonological Awareness at 5 years of age in Children who use Hearing Aids or Cochlear Implants.

[Ching TY¹](#), [Cupples L²](#).

[Ear Hear.](#) 2015 Nov-Dec;36 Suppl 1:76S-91S. doi: 10.1097/AUD.000000000000219.

Language Outcomes in Young Children with Mild to Severe Hearing Loss.

[Tomblin JB¹](#), [Harrison M](#), [Ambrose SE](#), [Walker EA](#), [Oleson JJ](#), [Moeller MP](#).

[Ear Hear.](#) 2015 Nov-Dec;36 Suppl 1:60S-75S. doi: 10.1097/AUD.000000000000213.

Speech Recognition and Parent Ratings From Auditory Development Questionnaires in Children Who Are Hard of Hearing.

[McCreery RW¹](#), [Walker EA](#), [Spratford M](#), [Oleson J](#), [Bentler R](#), [Holte L](#), [Roush P](#).

[Ear Hear.](#) 2015 Nov-Dec;36 Suppl 1:48S-59S. doi: 10.1097/AUD.000000000000209.

Quantity and Quality of Caregivers' Linguistic Input to 18-Month and 3-Year-Old Children Who Are Hard of Hearing.

[Ambrose SE¹](#), [Walker EA](#), [Unflat-Berry LM](#), [Oleson JJ](#), [Moeller MP](#).

[Ear Hear.](#) 2015 Nov-Dec;36 Suppl 1:38S-47S. doi: 10.1097/AUD.000000000000208.

Trends and Predictors of Longitudinal Hearing Aid Use for Children Who Are Hard of Hearing.

[Walker EA](#)¹, [McCreery RW](#), [Spratford M](#), [Oleson JJ](#), [Van Buren J](#), [Bentler R](#), [Roush P](#), [Moeller MP](#).

[Ear Hear.](#) 2015 Nov-Dec;36 Suppl 1:24S-37S. doi: 10.1097/AUD.000000000000211.

Longitudinal Predictors of Aided Speech Audibility in Infants and Children.

[McCreery RW](#)¹, [Walker EA](#), [Spratford M](#), [Bentler R](#), [Holte L](#), [Roush P](#), [Oleson J](#), [Van Buren J](#), [Moeller MP](#).

[Acta Biomed.](#) 2015 Dec 15;86(3):273-7.

Universal newborn hearing screening: the experience of the University Hospital of Parma.

[Magnani C](#)¹, [Bacchi G](#), [Borghini AM](#), [Delmonte D](#), [Fava G](#), [Occasio AM](#), [Sarti A](#), [Vincenti V](#).

[Pediatrics.](#) 2016 Jan;137(1). doi: 10.1542/peds.2015-1974. Epub 2015 Dec 18.

Sign Language and Spoken Language for Children With Hearing Loss: A Systematic Review.

[Fitzpatrick EM](#)¹, [Hamel C](#)², [Stevens A](#)³, [Pratt M](#)², [Moher D](#)⁴, [Doucet SP](#)⁵, [Neuss D](#)⁶, [Bernstein A](#)⁷, [Na E](#)⁸.

[Clin Otolaryngol.](#) 2015 Dec 13. doi: 10.1111/coa.12606. [Epub ahead of print]

Hearing in School-Aged Children With Trisomy 21 - Results of a Longitudinal Cohort Study in Children Identified at Birth.

[Yaneza MM](#)¹, [Hunter K](#)², [Irwin S](#)¹, [Kubba H](#)¹.

[Am J Audiol.](#) 2015 Dec;24(4):563-8. doi: 10.1044/2015_AJA-15-0024.

Factors Influencing Hearing Aid Use in the Classroom: A Pilot Study.

[Gustafson SJ](#), [Davis H](#), [Hornsby BW](#), [Bess FH](#).

[Int J Audiol.](#) 2015;54(12):924-32. doi: 10.3109/14992027.2015.1091094. Epub 2015 Oct 8.

Prevalence of various etiologies of hearing loss among cochlear implant recipients: Systematic review and meta-analysis.

[Petersen NK¹](#), [Jørgensen AW¹](#), [Ovesen T¹](#).

[Int Arch Otorhinolaryngol.](#) 2015 Oct;19(4):359-63. doi: 10.1055/s-0034-1395791. Epub 2014 Nov 14.

Cochlear Implantation in Isolated Large Vestibular Aqueduct Syndrome: Report of Three Cases and Literature Review.

[Pradhananga R¹](#), [Natarajan K²](#), [Devarasetty A²](#), [Kameswaran M³](#).

[Coll Antropol.](#) 2015 Jul;39 Suppl 1:173-9.

Motor Skills in Hearing Impaired Children with or without Cochlear Implant--A Systematic Review.

[Vidranski T](#), [Farkaš D](#).

[Eur Ann Otorhinolaryngol Head Neck Dis.](#) 2015 Dec;132(6):317-20. doi: 10.1016/j.anorl.2015.08.020. Epub 2015 Sep 9.

Speech perception, production and intelligibility in French-speaking children with profound hearing loss and early cochlear implantation after congenital cytomegalovirus infection.

[Laccourreya L¹](#), [Ettienne V²](#), [Prang I²](#), [Couloigner V²](#), [Garabedian EN²](#), [Loundon N²](#).

[Int J Pediatr Otorhinolaryngol.](#) 2015 Nov;79(11):1820-6. doi: 10.1016/j.ijporl.2015.08.015. Epub 2015 Aug 22.

Hearing impairment after childhood bacterial meningitis dependent on etiology in Luanda, Angola.

[Karppinen M¹](#), [Pelkonen T²](#), [Roine I³](#), [Cruzeiro ML⁴](#), [Peltola H⁵](#), [Pitkäranta A⁶](#).

[PLoS One.](#) 2015 Aug 28;10(8):e0136685. doi: 10.1371/journal.pone.0136685. eCollection 2015.

Experience Changes How Emotion in Music Is Judged: Evidence from Children Listening with Bilateral Cochlear Implants, Bimodal Devices, and Normal Hearing.

[Giannantonio S¹](#), [Polonenko MJ²](#), [Papsin BC³](#), [Paludetti G¹](#), [Gordon KA³](#).

[Cancer](#). 2015 Nov 15;121(22):4053-61. doi: 10.1002/cncr.29604. Epub 2015 Aug 19.

Treatment-induced hearing loss and adult social outcomes in survivors of childhood CNS and non-CNS solid tumors: Results from the St. Jude Lifetime Cohort Study.

[Brinkman TM](#)¹, [Bass JK](#)², [Li Z](#)¹, [Ness KK](#)¹, [Gajjar A](#)³, [Pappo AS](#)³, [Armstrong GT](#)^{1,3}, [Merchant TE](#)⁴, [Srivastava DK](#)⁵, [Robison LL](#)¹, [Hudson MM](#)^{1,3}, [Gurney JG](#)^{1,6}.

[Biomed Res Int](#). 2015;2015:696281. doi: 10.1155/2015/696281. Epub 2015 Jul 5.

Cochlear Implant Outcomes and Genetic Mutations in Children with Ear and Brain Anomalies.

[Busi M](#)¹, [Rosignoli M](#)², [Castiglione A](#)³, [Minazzi F](#)², [Trevisi P](#)³, [Aimoni C](#)², [Calzolari F](#)⁴, [Granieri E](#)⁵, [Martini A](#)³.

[Otol Neurotol](#). 2015 Sep;36(8):1297-300. doi: 10.1097/MAO.0000000000000815.

Hearing Impairment in Children and Adults With Acquired Middle Ear Cholesteatoma: Audiometric Comparison of 385 Ears.

[Rosito LP](#)¹, [Netto LS](#), [Teixeira AR](#), [da Costa SS](#).

[J Speech Lang Hear Res](#). 2015 Oct;58(5):1611-25. doi: 10.1044/2015_JSLHR-H-15-0043.

The Influence of Hearing Aid Use on Outcomes of Children With Mild Hearing Loss.

[Walker EA](#), [Holte L](#), [McCreery RW](#), [Spratford M](#), [Page T](#), [Moeller MP](#).

[Int J Pediatr Otorhinolaryngol](#). 2015 Sep;79(9):1401-3. doi: 10.1016/j.ijporl.2015.05.035. Epub 2015 Jun 19.

Complications in a series of 4400 paediatric cochlear implantation.

[Daneshi A](#)¹, [Ajalloueyan M](#)², [Ghasemi MM](#)³, [Hashemi BS](#)⁴, [Emamjome H](#)¹, [Farhadi M](#)¹, [Ajalloueyan Z](#)⁵.

[Int J Pediatr Otorhinolaryngol](#). 2015 Aug;79(8):1346-50. doi: 10.1016/j.ijporl.2015.06.008. Epub 2015 Jun 11.

Tinnitus reported by children aged 7 and 12 years.

[Piotrowska A](#)¹, [Raj-Koziak D](#)², [Lorens A](#)², [Skarżyński H](#)².

[Ann Otol Rhinol Laryngol](#). 2015 Dec;124(12):925-30. doi: 10.1177/0003489415592000. Epub 2015 Jun 16.

Decisional Conflict in Parents Considering Bone-Anchored Hearing Devices in Children With Unilateral Aural Atresia.

[Graham ME](#)¹, [Haworth R](#)², [Chorney J](#)¹, [Bance M](#)¹, [Hong P](#)³.

[Int J Audiol](#). 2015;54(10):714-9. doi: 10.3109/14992027.2015.1046506. Epub 2015 Jun 12.

Hearing configuration in children with cCMV infection and proposal of a flow chart for hearing evaluation.

[Foulon I](#)¹, [Vleurinck L](#)¹, [Kerkhofs K](#)², [Gordts F](#)¹.

[Int J Pediatr Otorhinolaryngol](#). 2015 Aug;79(8):1248-52. doi: 10.1016/j.ijporl.2015.05.021. Epub 2015 May 27.

Self-administered hearing loss screening using an interactive, tablet play audiometer with ear bud headphones.

[Yeung JC](#)¹, [Heley S](#)¹, [Beauregard Y](#)¹, [Champagne S](#)¹, [Bromwich MA](#)².

[PLoS One](#). 2015 May 26;10(5):e0127566. doi: 10.1371/journal.pone.0127566. eCollection 2015.

Determination of benefits of cochlear implantation in children with auditory neuropathy.

[Ji F](#)¹, [Li J](#)¹, [Hong M](#)¹, [Chen A](#)¹, [Jiao Q](#)¹, [Sun L](#)¹, [Liang S](#)¹, [Yang S](#)¹.

[Pediatr Ann](#). 2015 May;44(5):e115-25. doi: 10.3928/00904481-20150512-11.

Current controversies in diagnosis, management, and prevention of congenital cytomegalovirus: updates for the pediatric practitioner.

[Harrison GJ](#).

[J Deaf Stud Deaf Educ](#). 2015 Jul;20(3):275-82. doi: 10.1093/deafed/env018. Epub 2015 May 18.

Self-reports versus parental perceptions of health-related quality of life among deaf children and adolescents.

[Pardo-Guijarro MJ](#)¹, [Martínez-Andrés M](#)¹, [Notario-Pacheco B](#)¹, [Solera-Martínez M](#)¹, [Sánchez-López M](#)¹, [Martínez-Vizcaíno V](#)².

[Otol Neurotol](#). 2015 Jul;36(6):1035-44. doi: 10.1097/MAO.0000000000000754.

Hearing Loss After Activation of Hearing Preservation Cochlear Implants Might Be Related to Afferent Cochlear Innervation Injury.

[Kopelovich JC](#)¹, [Reiss LA](#), [Etler CP](#), [Xu L](#), [Bertroche JT](#), [Gantz BJ](#), [Hansen MR](#).

[Laryngoscope](#). 2015 Aug;125(8):1952-8. doi: 10.1002/lary.25293. Epub 2015 May 6.

Sequential bilateral cochlear implantation in the adolescent population.

[Friedmann DR](#)¹, [Green J](#)¹, [Fang Y](#)², [Ensor K](#)¹, [Roland JT](#)¹, [Waltzman SB](#)¹.

[Int J Pediatr Otorhinolaryngol](#). 2015 Jul;79(7):975-9. doi: 10.1016/j.ijporl.2015.03.031. Epub 2015 Apr 10.

Surgery or implantable hearing devices in children with congenital aural atresia: 25 years of our experience.

[Jovankovičová A](#)¹, [Staník R](#)², [Kunzo S](#)², [Majáková L](#)², [Profant M](#)³.

[Int J Pediatr Otorhinolaryngol](#). 2015 Jun;79(6):786-92. doi: 10.1016/j.ijporl.2015.03.030. Epub 2015 Apr 14.

Clinical and logopaedic results of simultaneous and sequential bilateral implants in children with severe and/or profound bilateral sensorineural hearing loss: A literature review.

[López-Torrijo M](#)¹, [Mengual-Andrés S](#)², [Estellés-Ferrer R](#)³.

[Otol Neurotol](#). 2015 Jun;36(5):826-33. doi: 10.1097/MAO.0000000000000765.

Long-term Compliance and Satisfaction With Percutaneous Bone Conduction Devices in Patients With Congenital Unilateral Conductive Hearing Loss.

[Nelissen RC](#)¹, [Mylanus EA](#), [Cremers CW](#), [Hol MK](#), [Snik AF](#).

[Otol Neurotol](#). 2015 Jul;36(6):1029-34. doi: 10.1097/MAO.0000000000000751.

Vestibular and Balance Impairment Contributes to Cochlear Implant Failure in Children.

[Wolter NE](#)¹, [Gordon KA](#), [Papsin BC](#), [Cushing SL](#).

[Int J Pediatr Otorhinolaryngol.](#) 2015 Jun;79(6):840-3. doi: 10.1016/j.ijporl.2015.03.015. Epub 2015 Mar 23.

Outcomes after cochlear reimplantation in children.

[Sterkers F¹](#), [Merklen F¹](#), [Piron JP¹](#), [Vieu A¹](#), [Venail F¹](#), [Uziel A¹](#), [Mondain M²](#).

[Int J Pediatr Otorhinolaryngol.](#) 2015 Jun;79(6):834-9. doi: 10.1016/j.ijporl.2015.03.014. Epub 2015 Mar 23.

School performance and wellbeing of children with CI in different communicative-educational environments.

[Langereis M¹](#), [Vermeulen A²](#).

[Int J Audiol.](#) 2015 Aug;54(8):544-51. doi: 10.3109/14992027.2015.1017660. Epub 2015 Mar 30.

Hearing aid and cochlear implant use in children with hearing loss at three years of age: Predictors of use and predictors of changes in use.

[Marnane V¹](#), [Ching TY](#).

[Eur Child Adolesc Psychiatry.](#) 2015 May;24(5):477-96. doi: 10.1007/s00787-015-0697-1. Epub 2015 Mar 11.

Emotional and behavioural difficulties in children and adolescents with hearing impairment: a systematic review and meta-analysis.

[Stevenson J¹](#), [Kreppner J](#), [Pimperton H](#), [Worsfold S](#), [Kennedy C](#).

[Trends Hear.](#) 2015 Mar 9;19. pii: 2331216515572615. doi: 10.1177/2331216515572615.

Self-esteem in children and adolescents with hearing loss.

[Warner-Czyz AD¹](#), [Loy BA²](#), [Evans C³](#), [Wetsel A³](#), [Tobey EA⁴](#).

[Int J Pediatr Otorhinolaryngol.](#) 2015 Apr;79(4):610-5. doi: 10.1016/j.ijporl.2015.02.009. Epub 2015 Feb 14.

Sense of coherence, social networks, and mental health among children with a cochlear implant.

[Anmyr L¹](#), [Olsson M²](#), [Freijid A³](#), [Larsson K⁴](#).

[Otol Neurotol.](#) 2015 Jul;36(6):985-92. doi: 10.1097/MAO.0000000000000723.

A Prospective Longitudinal Study of U.S. Children Unable to Achieve Open-Set Speech Recognition 5 Years After Cochlear Implantation.

[Barnard JM¹](#), [Fisher LM](#), [Johnson KC](#), [Eisenberg LS](#), [Wang NY](#), [Quittner AL](#), [Carson CM](#), [Niparko JK](#); [CDaCI Investigative Team](#).

[Laryngoscope](#). 2015 Sep;125(9):2209-15. doi: 10.1002/lary.25196. Epub 2015 Feb 17.

Multivariate analysis of prognostic factors for idiopathic sudden sensorineural hearing loss in children.

[Chung JH¹](#), [Cho SH¹](#), [Jeong JH¹](#), [Park CW¹](#), [Lee SH¹](#).

[Int J Pediatr Otorhinolaryngol](#). 2015 Apr;79(4):520-6. doi: 10.1016/j.ijporl.2015.01.020. Epub 2015 Jan 25.

Interaction patterns of mothers of children with different degrees of hearing: normally hearing children and congenitally hearing-impaired children with a cochlear implant.

[Vanormelingen L¹](#), [De Maeyer S²](#), [Gillis S³](#).

[Ear Hear](#). 2015 Jul-Aug;36(4):e190-8. doi: 10.1097/AUD.0000000000000147.

Symptoms of Psychopathology in Hearing-Impaired Children.

[Theunissen SC¹](#), [Rieffe C](#), [Soede W](#), [Briaire JJ](#), [Ketelaar L](#), [Kouwenberg M](#), [Frijns JH](#).

[J Pediatr](#). 2015 Apr;166(4):840-3.e1. doi: 10.1016/j.jpeds.2014.12.041. Epub 2015 Feb 4.

Hearing loss by week of gestation and birth weight in very preterm neonates.

[van Dommelen P¹](#), [Verkerk PH²](#), [van Straaten HL³](#); [Dutch Neonatal Intensive Care Unit Neonatal Hearing Screening Working Group](#).

[Ann Otol Rhinol Laryngol](#). 2015 Jun;124(6):443-51. doi: 10.1177/0003489414566121. Epub 2015 Jan 13.

Pediatric cochlear implantation in residual hearing candidates.

[Gratacap M¹](#), [Thierry B²](#), [Rouillon I²](#), [Marlin S²](#), [Garabedian N²](#), [Loundon N²](#).

[Int J Pediatr Otorhinolaryngol](#). 2015 Feb;79(2):146-50. doi: 10.1016/j.ijporl.2014.11.026. Epub 2014 Dec 16.

Delayed prelingual cochlear implantation in childhood and puberty.

[Bayazit YA¹](#), [Altinyay S²](#), [Cevizci R³](#).

[Ear Hear](#). 2015 May-Jun;36(3):e113-21. doi: 10.1097/AUD.0000000000000133.

Examining the impact of cochlear implantation on the early gross motor development of children with a hearing loss.

[De Kegel A¹](#), [Maes L](#), [Van Waelvelde H](#), [Dhooge I](#).

[Laryngoscope](#). 2015 Jul;125(7):1685-90. doi: 10.1002/lary.25084. Epub 2014 Dec 15.

Narrative abilities in early implanted children.

[Murri A](#)¹, [Cuda D](#)¹, [Guerzoni L](#)¹, [Fabrizi E](#)².

[Int J Pediatr Otorhinolaryngol](#). 2015 Jan;79(1):26-30. doi: 10.1016/j.ijporl.2014.10.025. Epub 2014 Oct 24.

Risk factors for sensorineural hearing loss in pediatric chronic otitis media.

[Yehudai N](#)¹, [Most T](#)², [Luntz M](#)³.

[J Pediatr](#). 2015 Jan;166(1):168-71. doi: 10.1016/j.jpeds.2014.09.005. Epub 2014 Oct 18.

The prevalence of congenital hearing loss in neonates with Down syndrome.

[Tedeschi AS](#)¹, [Roizen NJ](#)², [Taylor HG](#)², [Murray G](#)³, [Curtis CA](#)⁴, [Parikh AS](#)⁵.

[Cochlear Implants Int](#). 2015 May;16(3):137-46. doi: 10.1179/1754762814Y.0000000103. Epub 2014 Nov 28.

Family involvement in music impacts participation of children with cochlear implants in music education and music activities.

[Driscoll V](#), [Gfeller K](#), [Tan X](#), [See RL](#), [Cheng HY](#), [Kanemitsu M](#).

[Int J Audiol](#). 2015 Feb;54(2):77-88. doi: 10.3109/14992027.2014.973536. Epub 2014 Nov 27.

A longitudinal study of the bilateral benefit in children with bilateral cochlear implants.

[Asp F](#)¹, [Mäki-Torkko E](#), [Karlton E](#), [Harder H](#), [Herqils L](#), [Eskilsson G](#), [Stenfelt S](#).

[Minerva Pediatr](#). 2015 Feb;67(1):75-90. Epub 2014 Oct 14.

Pediatric hearing loss: common causes, diagnosis and therapeutic approach.

[Alzahrani M](#)¹, [Tabet P](#), [Saliba I](#).

[Ear Hear](#). 2015 Mar-Apr;36(2):279-87. doi: 10.1097/AUD.000000000000111.

Pediatric hearing aid use: parent-reported challenges.

[Muñoz K](#)¹, [Olson WA](#), [Twohig MP](#), [Preston E](#), [Blaiser K](#), [White KR](#).

[Otol Neurotol](#). 2015 Jan;36(1):43-50. doi: 10.1097/MAO.0000000000000607.

Evidence for the expansion of pediatric cochlear implant candidacy.

[Carlson ML](#)¹, [Sladen DP](#), [Haynes DS](#), [Driscoll CL](#), [DeJong MD](#), [Erickson HC](#), [Sunderhaus LW](#), [Hedley-Williams A](#), [Rosenzweig EA](#), [Davis TJ](#), [Gifford RH](#).

[Ann Otol Rhinol Laryngol](#). 2015 Mar;124(3):227-31. doi: 10.1177/0003489414551931. Epub 2014 Sep 22.

Cochlear implant failure and revision surgery in pediatric population.

[Blanchard M](#)¹, [Thierry B](#)², [Glynn F](#)², [De Lamaze A](#)², [Garabédian EN](#)², [Loundon N](#)².

[Eur Arch Otorhinolaryngol](#). 2015 Oct;272(10):2667-72. doi: 10.1007/s00405-014-3206-0. Epub 2014 Aug 9.

Cochlear re-implant rates in children: 20 years experience in a quaternary paediatric cochlear implant centre.

[Trozzi M](#)¹, [Powell HR](#), [Toma S](#), [Ahmed W](#), [Jephson CG](#), [Rajput K](#), [Cochrane LA](#).

[J Deaf Stud Deaf Educ](#). 2015 Jan;20(1):51-66. doi: 10.1093/deafed/enu028. Epub 2014 Sep 18.

Deaf parents of cochlear-implanted children: beliefs on bimodal bilingualism.

[Mitchiner JC](#)¹.

[Hear Res](#). 2015 Apr;322:171-9. doi: 10.1016/j.heares.2014.09.002. Epub 2014 Sep 16.

What can we expect of normally-developing children implanted at a young age with respect to their auditory, linguistic and cognitive skills?

[van Wieringen A](#)¹, [Wouters J](#)².

[Cochlear Implants Int](#). 2015 May;16(3):147-58. doi: 10.1179/1754762814Y.0000000094. Epub 2014 Aug 17.

Cochlear implantation in children with bacterial meningitic deafness: The influence of the degree of ossification and obliteration on impedance and charge of the implant.

[Durisin M](#), [Büchner A](#), [Lesinski-Schiedat A](#), [Bartling S](#), [Warnecke A](#), [Lenarz T](#).

[Ear Hear.](#) 2015 Jan;36(1):8-13. doi: 10.1097/AUD.000000000000072.

Is "no response" on diagnostic auditory brainstem response testing an indication for cochlear implantation in children?

[Hang AX¹](#), [Roush PA](#), [Teagle HF](#), [Zdanski C](#), [Pillsbury HC](#), [Adunka OF](#), [Buchman CA](#).

[Eur Arch Otorhinolaryngol.](#) 2015 Aug;272(8):1867-71. doi: 10.1007/s00405-014-2994-6. Epub 2014 Mar 14.

Is type 1 diabetes mellitus a cause for subtle hearing loss in pediatric patients?

[ALDajani N¹](#), [ALkurdi A](#), [ALMutair A](#), [ALdraiwesh A](#), [ALMazrou KA](#).

[Cochlear Implants Int.](#) 2015 Jul;16(4):186-94. doi: 10.1179/1754762813Y.0000000033. Epub 2014 Mar 14.

Cochlear implantation in adolescents: Factors influencing compliance.

[Markey AL](#), [Nichani J](#), [Lockley M](#), [Melling C](#), [Ramsden RT](#), [Green KM](#), [Bruce IA](#).