

## ULKOMAISTEN TUTKIMUSTEN KARTOITUS (vuonna 2017 julkaistuja artikkeleita)

### Lääketieteelliset tutkimukset

Koonnut Topi Jutila

[Int J Pediatr Otorhinolaryngol.](#) 2017 Dec;103:71-75. doi: 10.1016/j.ijporl.2017.10.002. Epub 2017 Oct 5.

**Evaluation of speech reception threshold in noise in young Cochlear™ Nucleus® system 6 implant recipients using two different digital remote microphone technologies and a speech enhancement sound processing algorithm.**

[Razza S](#)<sup>1</sup>, [Zaccone M](#)<sup>1</sup>, [Meli A](#)<sup>1</sup>, [Cristofari E](#)<sup>2</sup>.

[Paediatr Child Health.](#) 2017 May;22(2):72-74. doi: 10.1093/pch/pxx002. Epub 2017 Apr 4.

**Diagnosis and management of infants with congenital cytomegalovirus infection.**

[Gantt S](#)<sup>1</sup>, [Bitnun A](#)<sup>2</sup>, [Renaud C](#)<sup>3</sup>, [Kakkar F](#)<sup>3</sup>, [Vaudry W](#)<sup>4</sup>.

[J Int Adv Otol.](#) 2017 Dec;13(3):407-413. doi: 10.5152/iao.2017.4162.

**Moderate-Severe Hearing Loss in Children: A Diagnostic and Rehabilitative Challenge.**

[Ciorba A](#)<sup>1</sup>, [Corazzi V](#)<sup>1</sup>, [Negossi L](#)<sup>1</sup>, [Tazzari R](#)<sup>1</sup>, [Bianchini C](#)<sup>1</sup>, [Aimoni C](#)<sup>1</sup>.

[Audiol Neurootol.](#) 2017;22(4-5):236-258. doi: 10.1159/000481767. Epub 2017 Dec 21.

**Quality of Life and Cost-Effectiveness of Cochlear Implants: A Narrative Review.**

[Crowson MG](#)<sup>1</sup>, [Semenov YR](#), [Tucci DL](#), [Niparko JK](#).

[Ear Hear.](#) 2017 Dec 15. doi: 10.1097/AUD.0000000000000533. [Epub ahead of print]

**Social Development in Children With Early Cochlear Implants: Normative Comparisons and Predictive Factors, Including Bilateral Implantation.**

[Sarant JZ](#)<sup>1</sup>, [Harris DC](#)<sup>1</sup>, [Galvin KL](#)<sup>1</sup>, [Bennet LA](#)<sup>1</sup>, [Canagasabay M](#)<sup>1</sup>, [Busby PA](#)<sup>1</sup>.

[Pediatr Blood Cancer](#). 2018 Mar;65(3). doi: 10.1002/pbc.26877. Epub 2017 Dec 12.

## **Audiological monitoring in Swiss childhood cancer patients.**

[Weiss A](#)<sup>1</sup>, [Kuonen R](#)<sup>1</sup>, [Brockmeier H](#)<sup>2</sup>, [Grotzer M](#)<sup>3</sup>, [Candreia C](#)<sup>4</sup>, [Maire R](#)<sup>5</sup>, [Senn P](#)<sup>6</sup>, [Stieger C](#)<sup>7</sup>, [Rosenfeld J](#)<sup>8</sup>, [Veraguth D](#)<sup>9</sup>, [Kompis M](#)<sup>10</sup>, [Scheinemann K](#)<sup>11</sup>, [Kuehni CE](#)<sup>1,12</sup>; [Swiss Pediatric Oncology Group \(SPOG\)](#).

[Ear Hear](#). 2017 Nov 14. doi: 10.1097/AUD.0000000000000519. [Epub ahead of print]

## **Hearing Loss in Children With Otitis Media With Effusion: Actual and Simulated Effects on Speech Perception.**

[Cai T](#)<sup>1</sup>, [McPherson B](#)<sup>1</sup>, [Li C](#)<sup>1</sup>, [Yang F](#)<sup>1</sup>.

[Trends Hear](#). 2017 Jan-Dec;21:2331216517709597. doi: 10.1177/2331216517709597.

## **Word Recognition and Learning: Effects of Hearing Loss and Amplification Feature.**

[Pittman AL](#)<sup>1</sup>, [Stewart EC](#)<sup>1</sup>, [Willman AP](#)<sup>1</sup>, [Odgear IS](#)<sup>1</sup>.

[Otol Neurotol](#). 2017 Dec;38(10):e570-e576. doi: 10.1097/MAO.0000000000001597.

## **Cochlear Implantation in Children With Congenital Unilateral Deafness: A Case Series.**

[Beck RL](#)<sup>1</sup>, [Aschendorff A](#), [Hassepaß F](#), [Wesarg T](#), [Kröger S](#), [Jakob TF](#), [Arndt S](#).

[J Am Acad Audiol](#). 2017 Nov/Dec;28(10):913-919. doi: 10.3766/jaaa.16115.

## **Cochlear Implantation in Children with Postlingual Progressive Steeply Sloping High-Frequency Hearing Loss.**

[Meredith MA](#)<sup>1</sup>, [Rubinstein JT](#)<sup>2</sup>, [Sie KCY](#)<sup>1,2</sup>, [Norton SJ](#)<sup>1,2</sup>.

[J Am Acad Audiol](#). 2017 Nov/Dec;28(10):883-892. doi: 10.3766/jaaa.16042.

## **Hearing Technology Use and Management in School-Age Children: Reports from Data Logs, Parents, and Teachers.**

[Gustafson SJ](#)<sup>1</sup>, [Ricketts TA](#)<sup>1</sup>, [Tharpe AM](#)<sup>1</sup>.

[Pediatrics](#). 2017 Dec;140(6). pii: e20170619. doi: 10.1542/peds.2017-0619. Epub 2017 Nov 8.

## **Trends in Hearing Loss Among Adolescents.**

[Barrett TS](#)<sup>1</sup>, [White KR](#)<sup>2,3</sup>.

[Int J Pediatr Otorhinolaryngol.](#) 2017 Nov;102:10-14. doi: 10.1016/j.ijporl.2017.08.025. Epub 2017 Aug 25.

## **Sequential pediatric bilateral cochlear implantation: The effect of time interval between implants.**

[Bianchin G](#)<sup>1</sup>, [Tribi L](#)<sup>2</sup>, [Formigoni P](#)<sup>2</sup>, [Russo C](#)<sup>2</sup>, [Polizzi V](#)<sup>2</sup>.

[Am J Audiol.](#) 2017 Oct 12;26(3S):393-407. doi: 10.1044/2017\_AJA-17-0007.

## **Subjective Fatigue in Children With Hearing Loss Assessed Using Self- and Parent-Proxy Report.**

[Hornsby BWY](#)<sup>1</sup>, [Gustafson SJ](#)<sup>1</sup>, [Lancaster H](#)<sup>2</sup>, [Cho SJ](#)<sup>3</sup>, [Camarata S](#)<sup>1</sup>, [Bess FH](#)<sup>1</sup>.

[Curr Opin Otolaryngol Head Neck Surg.](#) 2017 Dec;25(6):514-519. doi: 10.1097/MOO.0000000000000413.

## **Binaural integration: a challenge to overcome for children with hearing loss.**

[Gordon KA](#)<sup>1</sup>, [Cushing SL](#), [Easwar V](#), [Polonenko MJ](#), [Papsin BC](#).

[Electron Physician.](#) 2017 Sep 25;9(9):5339-5348. doi: 10.19082/5339. eCollection 2017 Sep.

## **Phenomenological needs assessment of parents of children with cochlear implants.**

[Mostafavi F](#)<sup>1</sup>, [Hazavehei SMM](#)<sup>2</sup>, [Oryadi-Zanjani MM](#)<sup>3</sup>, [Rad GS](#)<sup>4</sup>, [Rezaianzadeh A](#)<sup>5</sup>, [Ravanyar L](#)<sup>6</sup>.

[Int J Audiol.](#) 2017 Oct 12:1-7. doi: 10.1080/14992027.2017.1385865. [Epub ahead of print]

## **Learning from the Longitudinal Outcomes of Children with Hearing Impairment (LOCHI) study: summary of 5-year findings and implications.**

[Ching TYC](#)<sup>1,2</sup>, [Dillon H](#)<sup>1,2</sup>, [Leigh G](#)<sup>2,3,4</sup>, [Cupples L](#)<sup>3</sup>.

[J Am Acad Audiol.](#) 2017 Oct;28(9):861-875. doi: 10.3766/jaaa.17014.

## **Perceptual Implications of Level- and Frequency-Specific Deviations from Hearing Aid Prescription in Children.**

[McCreery RW](#)<sup>1</sup>, [Brennan M](#)<sup>1</sup>, [Walker EA](#)<sup>2</sup>, [Spratford M](#)<sup>1</sup>.

[Int J Pediatr Otorhinolaryngol.](#) 2017 Oct;101:81-86. doi: 10.1016/j.ijporl.2017.07.026. Epub 2017 Jul 25.

## **Speech processor data logging helps in predicting early linguistic outcomes in implanted children.**

[Guerzoni L](#)<sup>1</sup>, [Cuda D](#)<sup>2</sup>.

[Int J Pediatr Otorhinolaryngol.](#) 2017 Oct;101:7-10. doi: 10.1016/j.ijporl.2017.07.020. Epub 2017 Jul 19.

## **The risk ratio for development of hereditary sensorineural hearing loss in consanguineous marriage offspring.**

[Sanyelbhaa H<sup>1</sup>](#), [Kabel A<sup>2</sup>](#), [Abo El-Naga HAE<sup>3</sup>](#), [Sanyelbhaa A<sup>4</sup>](#), [Salem H<sup>5</sup>](#).

[Int J Pediatr Otorhinolaryngol.](#) 2017 Oct;101:186-195. doi: 10.1016/j.ijporl.2017.07.031. Epub 2017 Jul 25.

## **Emotional and behaviour difficulties in teenagers with permanent childhood hearing loss.**

[Stevenson J<sup>1</sup>](#), [Pimperton H<sup>2</sup>](#), [Kreppner J<sup>3</sup>](#), [Worsfold S<sup>2</sup>](#), [Terlektsi E<sup>4</sup>](#), [Kennedy C<sup>2</sup>](#).

[Otol Neurotol.](#) 2017 Dec;38(10):1456-1462. doi: 10.1097/MAO.0000000000001583.

## **Assessment of Behavioral Problems in Children With Hearing Loss.**

[Fiorillo CE<sup>1</sup>](#), [Rashidi V](#), [Westgate PM](#), [Jacobs JA](#), [Bush ML](#), [Studts CR](#).

[Acta Otolaryngol.](#) 2017 Dec;137(12):1238-1243. doi: 10.1080/00016489.2017.1362111. Epub 2017 Aug 11.

## **Long-term hearing outcomes after recurrent acute otitis media during early childhood.**

[Krakau M<sup>1</sup>](#), [Daqöö BR<sup>1</sup>](#), [Hellström S<sup>2,3</sup>](#), [Granath A<sup>1,2</sup>](#).

[Int J Audiol.](#) 2017 Dec;56(12):967-975. doi: 10.1080/14992027.2017.1378932. Epub 2017 Sep 22.

## **Evaluation of an internet-based speech-in-noise screening test for school-age children.**

[Sheikh Rashid M<sup>1</sup>](#), [Dreschler WA<sup>1</sup>](#), [de Laat JAPM<sup>2</sup>](#).

[Int J Audiol.](#) 2017 Sep 12:1-15. doi: 10.1080/14992027.2017.1370140. [Epub ahead of print]

## **Spoken language and everyday functioning in 5-year-old children using hearing aids or cochlear implants.**

[Cupples L<sup>1</sup>](#), [Ching TY<sup>2,3</sup>](#), [Button L<sup>2,3</sup>](#), [Seeto M<sup>2,3</sup>](#), [Zhang V<sup>2,3</sup>](#), [Whitfield J<sup>2,3</sup>](#), [Gunnourie M<sup>2,3</sup>](#), [Martin L<sup>2,3</sup>](#), [Marnane V<sup>2,3</sup>](#).

[Rev Med Virol.](#) 2017 Sep 6. doi: 10.1002/rmv.1938. [Epub ahead of print]

## **Hearing and neurodevelopmental outcomes for children with asymptomatic congenital cytomegalovirus infection: A systematic review.**

[Bartlett AW<sup>1,2</sup>](#), [McMullan B<sup>1,3</sup>](#), [Rawlinson WD<sup>4,5,6</sup>](#), [Palasanthiran P<sup>1,3</sup>](#).

[Pediatrics](#). 2017 Sep;140(3). pii: e20164274. doi: 10.1542/peds.2016-4274. Epub 2017 Aug 3.

## **Age at Intervention for Permanent Hearing Loss and 5-Year Language Outcomes.**

[Ching TYC](#)<sup>1,2</sup>, [Dillon H](#)<sup>3,2</sup>, [Button L](#)<sup>3,2</sup>, [Seeto M](#)<sup>3,2</sup>, [Van Buynder P](#)<sup>3,2</sup>, [Marnane V](#)<sup>3,2</sup>, [Cupples L](#)<sup>4</sup>, [Leigh G](#)<sup>3,5</sup>.

[Am J Audiol](#). 2017 Sep 18;26(3):301-308. doi: 10.1044/2017\_AJA-17-0010.

## **Understanding Hearing and Hearing Loss in Children With Down Syndrome.**

[Nightengale E](#)<sup>1</sup>, [Yoon P](#)<sup>1</sup>, [Wolter-Warmerdam K](#)<sup>1</sup>, [Daniels D](#)<sup>1</sup>, [Hickey F](#)<sup>1</sup>.

[Otolaryngol Head Neck Surg](#). 2017 Oct;157(4):565-571. doi: 10.1177/0194599817726757. Epub 2017 Aug 29.

## **Auditory Outcomes with Hearing Rehabilitation in Children with Unilateral Hearing Loss: A Systematic Review.**

[Appachi S](#)<sup>1</sup>, [Specht JL](#)<sup>2</sup>, [Raol N](#)<sup>2</sup>, [Lieu JEC](#)<sup>3</sup>, [Cohen MS](#)<sup>4</sup>, [Dedhia K](#)<sup>2</sup>, [Anne S](#)<sup>1</sup>.

[Int J Pediatr Otorhinolaryngol](#). 2017 Sep;100:160-167. doi: 10.1016/j.ijporl.2017.06.039. Epub 2017 Jul 1.

## **Exploring reasons for late identification of children with early-onset hearing loss.**

[Fitzpatrick EM](#)<sup>1</sup>, [Dos Santos JC](#)<sup>2</sup>, [Grandpierre V](#)<sup>3</sup>, [Whittingham J](#)<sup>4</sup>.

[Int J Pediatr Otorhinolaryngol](#). 2017 Sep;100:119-127. doi: 10.1016/j.ijporl.2017.06.036. Epub 2017 Jul 1.

## **Effects of residual hearing on cochlear implant outcomes in children: A systematic-review.**

[Chiossi JSC](#)<sup>1</sup>, [Hyppolito MA](#)<sup>2</sup>.

[Hear Res](#). 2017 Sep;353:57-75. doi: 10.1016/j.heares.2017.07.007. Epub 2017 Jul 20.

## **The MMN as a viable and objective marker of auditory development in CI users.**

[Näätänen R](#)<sup>1</sup>, [Petersen B](#)<sup>2</sup>, [Torppa R](#)<sup>3</sup>, [Lonka E](#)<sup>4</sup>, [Vuust P](#)<sup>2</sup>.

[Pediatrics](#). 2017 Jul;140(1). pii: e20163489. doi: 10.1542/peds.2016-3489. Epub 2017 Jun 12.

## **Early Sign Language Exposure and Cochlear Implantation Benefits.**

[Geers AE](#)<sup>1</sup>, [Mitchell CM](#)<sup>2</sup>, [Warner-Czyz A](#)<sup>3</sup>, [Wang NY](#)<sup>2</sup>, [Eisenberg LS](#)<sup>4</sup>; [CDaCI Investigative Team](#).

[JAMA Otolaryngol Head Neck Surg.](#) 2017 Sep 1;143(9):928-934. doi: 10.1001/jamaoto.2017.1068.

## **Prevalence of Hearing Loss Among Children 9 to 11 Years Old: The Generation R Study.**

[le Clercq CMP](#)<sup>1,2</sup>, [van Ingen G](#)<sup>1,2</sup>, [Ruytjens L](#)<sup>1</sup>, [Goedegebure A](#)<sup>1</sup>, [Moll HA](#)<sup>2</sup>, [Raaij H](#)<sup>2</sup>, [Jaddoe VVW](#)<sup>2</sup>, [Baatenburg de Jong RJ](#)<sup>1</sup>, [van der Schroeff MP](#)<sup>1,2</sup>.

[JAMA Otolaryngol Head Neck Surg.](#) 2017 Sep 1;143(9):920-927. doi: 10.1001/jamaoto.2017.0953.

## **Prevalence of Hearing Loss in US Children and Adolescents: Findings From NHANES 1988-2010.**

[Su BM](#)<sup>1,2</sup>, [Chan DK](#)<sup>3</sup>.

[Curr Opin Otolaryngol Head Neck Surg.](#) 2017 Oct;25(5):396-399. doi: 10.1097/MOO.0000000000000390.

## **The management of pediatric hearing loss caused by auditory neuropathy spectrum disorder.**

[Pham NS](#)<sup>1</sup>.

[Pediatrics.](#) 2017 Aug;140(2). pii: e20162964. doi: 10.1542/peds.2016-2964. Epub 2017 Jul 8.

## **Early Hearing Detection and Vocabulary of Children With Hearing Loss.**

[Yoshinaga-Itano C](#)<sup>1</sup>, [Sedey AL](#)<sup>2,3</sup>, [Wiggin M](#)<sup>2</sup>, [Chung W](#)<sup>4</sup>.

[Int J Pediatr Otorhinolaryngol.](#) 2017 Aug;99:60-65. doi: 10.1016/j.ijporl.2017.05.022. Epub 2017 May 30.

## **Factors influencing hearing outcomes in pediatric patients undergoing ossicular chain reconstruction.**

[Govil N](#)<sup>1</sup>, [Kaffenberger TM](#)<sup>2</sup>, [Shaffer AD](#)<sup>3</sup>, [Chi DH](#)<sup>4</sup>.

[Otol Neurotol.](#) 2017 Sep;38(8):1085-1091. doi: 10.1097/MAO.0000000000001488.

## **Outcomes and Time to Emergence of Auditory Skills After Cochlear Implantation of Children With Charge Syndrome.**

[Young NM](#)<sup>1</sup>, [Tournis E](#), [Sandy J](#), [Hoff SR](#), [Ryan M](#).

[Int J Audiol.](#) 2017 Nov;56(11):819-828. doi: 10.1080/14992027.2017.1337938. Epub 2017 Jun 22.

## **Characteristics of children with unilateral hearing loss.**

[Fitzpatrick EM](#)<sup>1,2</sup>, [Al-Essa RS](#)<sup>3</sup>, [Whittingham J](#)<sup>2</sup>, [Fitzpatrick J](#)<sup>4</sup>.

[Otol Neurotol](#). 2017 Aug;38(7):e190-e194. doi: 10.1097/MAO.0000000000001483.

## **Long-term Outcomes of Cochlear Implantation in Children With Congenital Cytomegalovirus Infection.**

[Yoshida H](#)<sup>1</sup>, [Takahashi H](#), [Kanda Y](#), [Kitaoka K](#), [Hara M](#).

[Gait Posture](#). 2017 Sep;57:109-114. doi: 10.1016/j.gaitpost.2017.05.031. Epub 2017 Jun 3.

## **Gait performance of children and adolescents with sensorineural hearing loss.**

[Melo RS](#)<sup>1</sup>.

[J Speech Lang Hear Res](#). 2017 Jun 10;60(6):1551-1567. doi: 10.1044/2016\_JSLHR-L-16-0297.

## **Language Development and Impairment in Children With Mild to Moderate Sensorineural Hearing Loss.**

[Halliday LF](#)<sup>1</sup>, [Tuomainen O](#)<sup>1</sup>, [Rosen S](#)<sup>1</sup>.

[Ear Hear](#). 2017 Nov/Dec;38(6):681-689. doi: 10.1097/AUD.0000000000000452.

## **Children With Single-Sided Deafness Use Their Cochlear Implant.**

[Polonenko MJ](#)<sup>1</sup>, [Papsin BC](#), [Gordon KA](#).

[J Am Acad Audiol](#). 2017 May;28(5):415-435. doi: 10.3766/jaaa.16015.

## **Evaluation of Adaptive Noise Management Technologies for School-Age Children with Hearing Loss.**

[Wolfe J](#)<sup>1</sup>, [Duke M](#)<sup>2</sup>, [Schafer E](#)<sup>2</sup>, [Jones C](#)<sup>3</sup>, [Rakita L](#)<sup>3</sup>.

[Eur Ann Otorhinolaryngol Head Neck Dis](#). 2017 Dec;134(6):415-418. doi: 10.1016/j.anorl.2017.03.009. Epub 2017 May 4.

## **Childhood psychogenic hearing loss: Identification and diagnosis.**

[Parodi M](#)<sup>1</sup>, [Rouillon I](#)<sup>2</sup>, [Rebours C](#)<sup>2</sup>, [Denoyelle F](#)<sup>2</sup>, [Loundon N](#)<sup>2</sup>.

[Am J Audiol](#). 2017 Jun 13;26(2):129-142. doi: 10.1044/2017\_AJA-16-0116.

## **High Risk Factors Associated With Early Childhood Hearing Loss: A 3-Year Review.**

[Dumanch KA](#)<sup>1</sup>, [Holte L](#)<sup>2</sup>, [O'Hollearn T](#)<sup>3</sup>, [Walker E](#)<sup>1</sup>, [Clark J](#)<sup>4</sup>, [Oleson J](#)<sup>4</sup>.

[Ear Hear.](#) 2017 Nov/Dec;38(6):e325-e334. doi: 10.1097/AUD.0000000000000442.

## **Speech Detection in Noise for Young Bilaterally Implanted Children: Is There Evidence of Binaural Benefit Over the Shadowed Ear Alone?**

[Galvin KL](#)<sup>1</sup>, [Dowell RC](#), [van Hoesel RJ](#), [Mok M](#).

[Brain Behav.](#) 2017 Feb 28;7(4):e00638. doi: 10.1002/brb3.638. eCollection 2017 Apr.

## **Simultaneous bilateral cochlear implants: Developmental advances do not yet achieve normal cortical processing.**

[Easwar V](#)<sup>1,2</sup>, [Yamazaki H](#)<sup>1</sup>, [Deighton M](#)<sup>1</sup>, [Papsin B](#)<sup>3,4</sup>, [Gordon K](#)<sup>1,3</sup>.

[Int J Pediatr Otorhinolaryngol.](#) 2017 May;96:4-10. doi: 10.1016/j.ijporl.2017.02.021. Epub 2017 Feb 21.

## **The results of newborn hearing screening by means of transient otoacoustic emissions - has anything changed over 10 years?**

[Wroblewska-Seniuk K](#)<sup>1</sup>, [Greczka G](#)<sup>2</sup>, [Dabrowski P](#)<sup>2</sup>, [Szyfter W](#)<sup>2</sup>, [Mazela J](#)<sup>3</sup>.

[Ear Hear.](#) 2017 Sep/Oct;38(5):577-587. doi: 10.1097/AUD.0000000000000423.

## **Long-Term Outcomes, Education, and Occupational Level in Cochlear Implant Recipients Who Were Implanted in Childhood.**

[Illg A](#)<sup>1</sup>, [Haack M](#), [Lesinski-Schiedat A](#), [Büchner A](#), [Lenarz T](#).

[Int J Audiol.](#) 2017 Mar 23:1-12. doi: 10.1080/14992027.2017.1301683. [Epub ahead of print]

## **The parents' perspective of the early diagnostic period of their child with hearing loss: information and support.**

[Scarinci N](#)<sup>1,2</sup>, [Erbasi E](#)<sup>1,2</sup>, [Moore E](#)<sup>1</sup>, [Ching TYC](#)<sup>2,3</sup>, [Marnane V](#)<sup>3</sup>.

[BMC Pediatr.](#) 2017 Mar 14;17(1):74. doi: 10.1186/s12887-017-0823-y.

## **Social inclusion for children with hearing loss in listening and spoken Language early intervention: an exploratory study.**

[Constantinescu-Sharpe G](#)<sup>1</sup>, [Phillips RL](#)<sup>2,3</sup>, [Davis A](#)<sup>2,4</sup>, [Dornan D](#)<sup>2,5,6</sup>, [Hogan A](#)<sup>7</sup>.

[Otol Neurotol.](#) 2017 Apr;38(4):496-503. doi: 10.1097/MAO.0000000000001343.

## **Cochlear Implantation in Children With Congenital Single-Sided Deafness.**

[Thomas JP](#)<sup>1</sup>, [Neumann K](#), [Dazert S](#), [Voelter C](#).



[Int J Audiol.](#) 2017 Jun;56(6):361-381. doi: 10.1080/14992027.2017.1281444. Epub 2017 Feb 13.

## **Vestibular (dys)function in children with sensorineural hearing loss: a systematic review.**

[Verbecque E](#)<sup>1,2</sup>, [Marijnissen T](#)<sup>1</sup>, [De Belder N](#)<sup>1</sup>, [Van Rompaey V](#)<sup>3</sup>, [Boudewyns A](#)<sup>3</sup>, [Van de Heyning P](#)<sup>2,3,4</sup>, [Vereeck L](#)<sup>1,2</sup>, [Hallemans A](#)<sup>1,2,5</sup>.

[Am J Audiol.](#) 2017 Mar 1;26(1):38-52. doi: 10.1044/2016\_AJA-16-0063.

## **Service Delivery to Children With Mild Hearing Loss: Current Practice Patterns and Parent Perceptions.**

[Walker EA](#)<sup>1</sup>, [Spratford M](#)<sup>2</sup>, [Ambrose SE](#)<sup>2</sup>, [Holte L](#)<sup>1</sup>, [Oleson J](#)<sup>1</sup>.

[Laryngoscope.](#) 2017 Sep;127(9):2165-2170. doi: 10.1002/lary.26469. Epub 2017 Jan 16.

## **Complications and parent satisfaction in pediatric osseointegrated bone-conduction hearingimplants.**

[Chan KH](#)<sup>1,2</sup>, [Gao D](#)<sup>3</sup>, [Jensen EL](#)<sup>1,2</sup>, [Allen GC](#)<sup>1,2</sup>, [Cass SP](#)<sup>1</sup>.

[Ear Hear.](#) 2017 Jul/Aug;38(4):426-440. doi: 10.1097/AUD.0000000000000401.

## **Sound Localization and Speech Perception in Noise of Pediatric Cochlear Implant Recipients: Bimodal Fitting Versus Bilateral Cochlear Implants.**

[Choi JE](#)<sup>1</sup>, [Moon IJ](#), [Kim EY](#), [Park HS](#), [Kim BK](#), [Chung WH](#), [Cho YS](#), [Brown CJ](#), [Hong SH](#).

[J Speech Lang Hear Res.](#) 2017 Jan 1;60(1):276-287. doi: 10.1044/2016\_JSLHR-H-16-0175.

## **A Longitudinal Study in Children With Sequential Bilateral Cochlear Implants: Time Course for the Second Implanted Ear and Bilateral Performance.**

[Reeder RM](#)<sup>1</sup>, [Firszt JB](#)<sup>1</sup>, [Cadieux JH](#)<sup>2</sup>, [Strube MJ](#)<sup>1</sup>.

[Eur Arch Otorhinolaryngol.](#) 2017 Mar;274(3):1397-1403. doi: 10.1007/s00405-016-4408-4. Epub 2016 Dec 1.

## **Does severity of cerebral MRI lesions in congenital CMV infection correlates with the outcome of cochlear implantation?**

[Lyutenski S](#)<sup>1</sup>, [Götz F](#)<sup>2</sup>, [Giourgas A](#)<sup>1</sup>, [Majdani O](#)<sup>1</sup>, [Bültmann E](#)<sup>2</sup>, [Lanfermann H](#)<sup>2</sup>, [Lenarz T](#)<sup>1</sup>, [Gieseemann AM](#)<sup>3</sup>.

[Otol Neurotol](#). 2017 Feb;38(2):212-220. doi: 10.1097/MAO.0000000000001287.

## **Initial Results of a Safety and Feasibility Study of Auditory Brainstem Implantation in Congenitally Deaf Children.**

[Wilkinson EP](#)<sup>1</sup>, [Eisenberg LS](#), [Krieger MD](#), [Schwartz MS](#), [Winter M](#), [Glater JL](#), [Martinez AS](#), [Fisher LM](#), [Shannon RV](#); [Los Angeles Pediatric ABI Team](#).

[Ear Hear](#). 2017 May/Jun;38(3):301-313. doi: 10.1097/AUD.0000000000000383.

## **Sequential Bilateral Cochlear Implantation in Children: Outcome of the Second Implant and Long-Term Use.**

[Myhrum M](#)<sup>1</sup>, [Strøm-Roum H](#), [Heldahl MG](#), [Rødsvik AK](#), [Eksveen B](#), [Landsvik B](#), [Rasmussen K](#), [Tvette OE](#).

[Laryngoscope](#). 2017 Sep;127(9):2113-2119. doi: 10.1002/lary.26334. Epub 2016 Oct 24.

## **Characteristics of tinnitus in adolescents and association with psychoemotional factors.**

[Kim SY](#)<sup>1</sup>, [Jeon YJ](#)<sup>2</sup>, [Lee JY](#)<sup>3</sup>, [Kim YH](#)<sup>2</sup>.

[Int J Audiol](#). 2017 Feb;56(2):77-84. doi: 10.1080/14992027.2016.1226521. Epub 2016 Sep 9.

## **Paediatric hearing aid management: a demonstration project for using virtual visits to enhance parent support.**

[Muñoz K](#)<sup>1,2</sup>, [Kibbe K](#)<sup>1</sup>, [Preston E](#)<sup>1</sup>, [Caballero A](#)<sup>1</sup>, [Nelson L](#)<sup>1</sup>, [White K](#)<sup>2,3</sup>, [Twohig M](#)<sup>3</sup>.

[Laryngoscope](#). 2017 Mar;127(3):720-724. doi: 10.1002/lary.26135. Epub 2016 Jul 14.

## **Low surgical complication rates in cochlear implantation for young children less than 1 year of age.**

[Kalejaiye A](#)<sup>1,2</sup>, [Ansari G](#)<sup>3</sup>, [Ortega G](#)<sup>4,2</sup>, [Davidson M](#)<sup>3</sup>, [Kim HJ](#)<sup>5</sup>.